•	Application No.	Applicant(s)
Madina of Alleres Is the	10/718,346	PAVLATH, GEORGE A.
Notice of Allowability	Examiner	Art Unit
	Erin D. Chiem	2883
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>11/30/06</u> .		
2. The allowed claim(s) is/are 1-18 and 20-26.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 - N . 10 () 10	
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary (Paper No./Mail Date ⊠ Examiner's Amendm 	(PTO-413), e
3. A Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Amendm	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Statemen	nt of Reasons for Allowance
	9.	

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Carmen Patti on February 19, 2007.

The application has been amended as follows:

Claim 26.

An apparatus, comprising:

a long period Bragg grating that comprises a wavelength attenuation range;

a pump diode laser optically coupled directly to a first side of a long period Bragg grating via a first optical splice;

an amplification fiber that is optically coupled directly to a second side of the long period Bragg grating via a second optical splice;

wherein the pump diode laser and the amplification fiber are arranged in a forward pumped broadband fiber source configuration without an optical multiplexer between the light source and the amplification fiber;

wherein a wavelength of the pump optical signal is outside of the wavelength attenuation range of the long period Bragg grating;

Page 3

wherein a wavelength of the output signal is within the wavelength attenuation range of the long period Bragg grating;

wherein the long period Bragg grating is configured to transmit the pump optical signal from the pump diode laser to the amplification fiber and attenuate the output signal form the amplification fiber to the pump diode laser.

The following is an examiner's statement of reasons for allowance: the combination of the prior art made of record does not reasonably teach with a motivation for an apparatus having a light source and amplification fiber arranged in a forward pumped broadband fiber source configuration without an optical multiplexer between the light source and the amplification fiber wherein a long period Bragg grating is employed to attenuate one or more output signals...

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Erin D. Chiem whose telephone number is (571) 272-3102. The examiner can normally be reached on Monday - Thursday 9AM - 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G. Font can be reached on (571) 272-2415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/718,346

Art Unit: 2883

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

EBC

Erin D Chiem Examiner Art Unit 2883

Frank G. Font Supervisory Patent Examiner Technology Center 2800

Frank & Font

Page 4